



# BEARING CORP.OF CANADA LTD.



## DODGE INS-SXRH-207E Insert Bearings Spherical OD

Bearing No. INS-SXRH-207E

INS-SXRH-207E Bearing 2D drawings and 3D CAD models

|                      |  |
|----------------------|--|
| Category             | Insert Bearings Spherical OD   |
| Inventory            | 0.0  |
| Manufacturer Name    | ABB MOTORS AND MECHANICAL INC  |
| Minimum Buy Quantity | N/A  |
| Weight               | 2.751  |
| EAN                  | 0782475889204  |
| Product Group        | M06110   |
| Inner Race Profile   | Wide Inner Ring  |
| Outer Race Profile   | Spherical  |
| Relubricatable       | Yes  |
| Seal Type            | Single Lip Contact   |
| Mounting Method      | Eccentric Collar   |
| Rolling Element      | Ball Bearing   |
| Snap Ring            | No   |
| Long Description     | 2-7/16" Bore; Wide Inner Ring; Ball Bearing; 3-1/16" Length Thru Bore; 1.024" Outer Race Width; 5.035" Outside Diameter; Relubricatable; Single Lip Contact Seal; Eccentric Collar M |
| Inch - Metric        | Inch   |
| Other Features       | Single Row   Normal Duty   Expansion   With Set Screw  |
| Category             | Insert Bearings  |
|                      |  |



## BEARING CORP.OF CANADA LTD.

|                              |   |
|------------------------------|---|
| UNSPSC                       | 31171536  |
| Harmonized Tariff Code       | 8482.10.50.00   |
| Noun                         | Bearing   |
| Keyword String               | Insert  |
| Manufacturer URL             | <a href="http://www.baldor.com">http://www.baldor.com</a> |
| Manufacturer Item Number     | INS-SXRH-207-E  |
| Manufacturer Internal Number | 126479  |
| Weight / LBS                 | 5.46  |
| d                            | 2.438 Inch   61.925<br>Millimeter                         |
| D                            | 3.063 Inch   77.8 Millimeter                              |
| Outer Race Width             | 1.024 Inch   26.01<br>Millimeter                          |
| D                            | 5.035 Inch   127.889<br>Millimeter                        |